INDEX

Acceleration, horizontal angular
  vestibular nuclei unit response, 991, 1014
Acetylcholine
  quantum content in neuromuscular depression, 427
  release, response to paired stimuli, 427
Action potentials: *see* Cortical evoked potentials, End-plate potentials, Electric potentials
Acoustic stimuli: *see also* Sound
Acoustic stimuli
  additive and multiplicative responses in collicular neurons, 641
  mesencephalon unit response, bullfrog, 1132, 1155
Adenosine triphosphatase
  skeletal muscle content and fiber classification, 581
Afferent neurons, electroreceptive cutaneous electric fish, functional characteristics, 775, 784, 810
Afferent neurons, mechanoreceptive cutaneous
  electric fish, functional characteristics, 775
  forelimb of the raccoon, characteristics, 312
  stimulus-response relationship, 312, 359
  Weber functions, 359
Afferent neurons, gustatory
  fiber branching and distribution, fungiform papilla, 154
Afferent neurons, muscle
  group I fiber depolarization and monosynaptic reflex depression, 290
  group II fibers, excitation of ipsilateral extensor motoneurons, 545
  succinylcholine depolarization, 290
Afferent neurons, muscle spindle
  sensitivity in cerebellar ablation and recovery, 943
Afferent neurons, somatic sensory
  depolarization, and trigeminal presynaptic inhibition, 695
  medial lemniscal system, organization in the raccoon, 312
  stimulus-response relationships, 312, 359
Afferent neurons, tactile cutaneous
  monkey hind paw, functional characteristics, 966
  semilunar ganglion, unit activity and organization, 682
  trigeminal brain-stem nuclei, presynaptic inhibition, 695
  trigeminal spinal tract, organization, 682, 695
Afferent neurons, vestibular
  activation of tonic and kinetic vestibular neurons, synaptic organization, 1014
Ajmone Marsan, C., 342
Albe-Fessard, D., 100
Alkali earth cations
  membrane permeability and potentials, spinal ganglia, 457
Alpha motoneurons
  excitability in cerebellar ablation and recovery, 943
Anesthesia
  central regulation of muscle spindle sensory endings, 724
Arousal
  diffuse cortical activation waves in, 893
  sensory transmission in geniculate striate system during, 443
Association cortex
  nonspecific sensory potentials, inhibition by basal ganglia, 100
Auditory cortex: *see also* Auditory neurons and specific areas
  response to stimuli after inferior colliculus section, 1185
  tone duration discrimination, functional areas, 673
  tone duration, frequency and pattern discrimination, ablation effects, 673
Auditory neurons
  cochlear nucleus excitatory and inhibitory response areas, 863
  response to frequency modulated sound stimuli, 655
  steady-state properties and response to complex sound, 655
Auditory pathway
  additive and multiplicative responses, collicular neurons, 641
  cochlear nucleus unit activity, alterations after sound exposure, 850
  cochlear nucleus unit excitatory and inhibitory response areas, 863
  inferior colliculus brachium section and cortical response to stimuli, 1185
  transmission time, frequency modulated sound, 655
Auditory stimuli
  aftereffects, suppression of cochlear nucleus unit activity, 850
  cochlear nucleus excitatory and inhibitory response areas, 863
Augmenting response, cortical
  membrane and synaptic potentials in motor cortex neurons, 166

Axons
gastrocnemius, conduction time, 71
lobster, ion flux and concentration, 742
motoneuron, diameter and cell size relationship, 71, 85, 560, 581, 599, 958
olfactory tract, conduction velocity and diameter, 139
pre- and postsynaptic, in the gracilis nucleus, 48
pyramidal tract, conduction velocity and functional properties, 216, 908
pyramidal tract, functional properties of large and small, 216, 908
slow exciter and inhibitor, insect skeletal muscle innervation, 497
soleus, conduction time, 71
squid, ion flux and transfer numbers, 526

BACH-Y-RITA, P., 1223
Barium ions
spinal ganglia membrane permeability and potentials, 457
Basal ganglia
central neural function of, 100
inhibition of nonspecific sensory activity, 100
spinal motoneuron recruitment, neuron size and, 958
BAUMGARTNER, G. L., J. L. BROWN, AND A. SCHULZ. Responses of single units of the cat visual system to rectangular stimulus patterns, 1
Behavior
conditioned reflex response to cortical and subcortical stimulation, 623
spontaneous cortical activation waves and EEG arousal pattern, relationships, 893
Betz cells
inhibitory postsynaptic potentials, strychninization and, 342
Biceps semitendinosus nerve: *see also* Peripheral muscle nerves
group II fiber activity, 545
ipsilateral excitation of gastrocnemius soleus motoneuron, 545
BISHOP, G. H., 1206
BISHOP, P. O., 19
Blindness
ocular deprivation, 1029, 1060
BLOMQUIST, A. J. AND C. A. LORENZINI. Projection of dorsal roots and sensory nerves to cortical sensory motor regions of squirrel monkey, 1195
Brain stem
spinal motoneuron recruitment, neuron size and, 958
BRINLEY, F. J., JR. Sodium, potassium, and chloride concentrations and fluxes in the isolated giant axon of *Homarus*, 742
BRINLEY, F. J., JR. AND L. J. MULLINS. Ion fluxes and transference numbers in squid axons, 526
BROOKHART, J. M., 290
BROWN, J. E. Dendritic fields of retinal ganglion cells of the rat, 1091
BROWN, J. E. AND J. A. ROJAS. Rat retinal ganglion cells: receptive field organization and maintained activity, 1073
BROWN, J. L., 1
BUCHWALD, J. S., E. S. HALAS, AND S. SCHRAMM. Progressive changes in efferent unit responses to repeated cutaneous stimulation in spinal cats, 200
BUREŠ, J. AND O. BUREŠOVÁ. Relationship between spontaneous and evoked unit activity in the inferior colliculus of rats, 611
BUREŠOVÁ, O., 641

CALVET, J., M. C. CALVET, AND J. M. LANGLOIS. Diffuse cortical activation waves during so-called desynchronized EEG patterns, 893
CALVET, M. C., 893
CARPENTER, D. O., 560, 599, 958
CASELLA, C., 154
CASEY, K. L., 1101
CASEY, K. L., M. CUÉNOD, AND P. D. MACLEAN. Unit analysis of visual input to posterior limbic cortex. II. Intracerebral stimuli, 1118
Caudate nucleus
inhibition of nonspecific sensory activity, 100
Cell size, motoneurons
functional properties, relationship, 71, 85, 216, 560, 581, 599, 959
Central nervous system: *see also* specific areas and structures
basal ganglia, function in, 100
gracilis nucleus functional organization, corticofugal effects, 48
leech, sodium and potassium content, 519
medullary electroreceptive mechanisms in fish, 800
muscle spindle sensory endings, discharge rate regulation, 724
postexcitatory cochlear nucleus depression, mechanism of, 850
tactile discrimination, Weber functions and, 359
Cerebellothalamocortical projection system
nonspecific internuclear inhibition, 487
Cerebellum
spinal motoneuron recruitment, neuron size and, 958

Cerebellum, function
cerebellar ablation and recovery process, 943
flexor and extensor muscle spindle sensitivity, 943
gamma bias and alpha motoneuron activity, 943
proprioception, 943
Cerebral cortex: *see also* specific areas and structures
activation waves during desynchronized EEG pattern, 893
conditioned reflex response to stimulation of, 623
somatotopically organized sensorimotor areas, primates, 1195
supplementary sensory area organization, primates, 1195
Cerebral cortex, insular temporal
tone duration discrimination, 673
Cerebral cortex, SII area
tone duration discrimination, 673
Cerebral hemispheres
interhemispheric responses in the opossum, 189
CHIARANDINI, D. J., 710
Chloride flux
lobster giant axon, 742
Chloride ions
inhibitory electrogenesis, insect skeletal muscle, 497
lobster axon concentration, 742
noncholinergic inhibition in snail neurons, 710
transference number, squid giant axon, 526
Cingulate gyrus, posterior
limbic cortex unit response to visual stimulation, 1101, 1118
CLARE, M. H., 1206
Coatimundi
somatic sensory representation in dorsal root fibers, 321
Cochlear nucleus
auditory neuron excitatory and inhibitory response areas, 863
unit spontaneous activity, alterations after sound exposure, 850
Collicular neurons
additive and multiplicative reactions, 641
Commissure, anterior
interhemispheric responses in the opossum, 189
Commissure, hippocampal
interhemispheric responses in the opossum, 189
Conditioned reflex
efferent unit response changes to repeated stimulation, 200
Conduction velocity
discharge frequency relationship in pyramidal tract neurons, 216
gastrocnemius axon, 85
olfactory tract axons, 139
pyramidal tract axons, and membrane properties, 908
soleus axon, 71
trigeminal cutaneous afferents, axon segments, 682
Contraction time
motor unit, gastrocnemius muscle, 85
motor unit, soleus muscle, 71
Convergence
bisensory and trisensory, visual cortex units, 1223
COOK, W. A., JR., D. R. NEILSON, JR., AND J. M. BROOKHART. Primary afferent depolarization and monosynaptic reflex depression following succinylcholine administration, 290
Corpus callosum
and anterior commissure in the opossum, functional counterpart, 189
Cortical evoked potentials
artificial squint and striate cortex response to eye stimulation, 1041
auditory cortex response to stimuli, inferior colliculus brachium section, 1185
auditory neurons, frequency modulated sound stimuli, 655
dorsal root fibers C_5–S_2 stimulation, response in primates, 1195
geniculate units, moving stimuli, 19
immature neocortex, thalamocortical projection stimulation, 925
inhibition and facilitation of spinal motoneurons, 398
inhibitory postsynaptic, strychninization and, 342
interhemispheric responses, 189
membrane and synaptic potentials in motor cortex neurons, effect on, 166, 342
motor cortex stimulation, excitation site, 1206
nonspecific sensory, inhibition by basal ganglia, 100
optic pathways stimulation during sleep and arousal, 443
pyramidal tract neuron stimulation, 1206
radial nerve stimulation, response in primates, 1195
striate cortex response to eye stimulation in ocular deprivation, 1029, 1060
trigeminal nerves stimulation, response in primates, 1195
visual area I, 1, 229
visual areas II and III, 229

visual cortex units, bisensory and trisensory convergence, 1223
visual system, contrast stimuli, 1
Cortical neurons
nonpyramidal and pyramidal, responses to cortical polarization, 166
Corticofugal stimulation
gracilis nucleus, 48
CRAMER, H., 1223
CUÉNOD, M., 1118
CUÉNOD, M., K. L. CASEY, AND P. D. MACLEAN. Unit analysis of visual input to posterior limbic cortex. I. Photic stimulation, 1101
Cutaneous receptive fields: *see* Receptive fields
Cutaneous stimuli
visual cortex neuron response, 1223

DAGNINO, N., E. FAVALE, C. LOEB, AND M. MANFREDI. Sensory transmission in the geniculostriate system of the cat during natural sleep and arousal, 443
DARIAN-SMITH, I. Presynaptic component in the afferent inhibition observed with trigeminal brain-stem nuclei of the cat, 695
DARIAN-SMITH, I., P. MUTTON, AND R. PROCTOR. Functional organization of tactile cutaneous afferents within the semilunar ganglion and trigeminal spinal tract of the cat, 682
DAVIS, D. L., 555
Depolarization
motor cortex neuron, strychnine and, 342
Dermatomes
dorsal roots C_6–T_2, organization in the raccoon, 312
Discrimination
cortical and subcortical stimuli, differentiation and generalization of, 623
Discrimination, auditory
pattern, frequency and duration, cortical ablation effects, 673
tone duration, auditory cortex functional areas, 673
Discrimination, tactile
unilateral cortical ablation and, 473
Weber functions, 359
Dorsal root fibers, C_6–T_2
cutaneous receptive fields, classification 312
homologous characteristics in raccoon, coatimundi and cat, 312
somatic sensory representation of forelimb in, 312
Dorsal root fibers, L_7
cutaneous receptive fields, functional characteristics in the monkey, 966
DOTY, R. W. Conditioned reflexes elicited by electrical stimulation of the brain in macaques, 623
DÖVING, K. B. AND G. GEMNE. Electrophysiological and histological properties of the olfactory tract of the burbot (*Lota lota* L.), 139

EEG: *see* Electroencephalogram
Electric organs, fish
pulse voltage and frequency variations, electroreceptive fiber response, 775, 784, 800
Sachs organs, low voltage generation, 775
Electric potentials
cochlear unit excitatory and inhibitory responses, 863
collicular neurons, spantaneous and evoked, 641
glossopharyngeal nerve distribution, fungiform papillae, 154
insect skeletal muscle fibers, peripheral inhibition, 497
lateral line electroreceptive fibers, response characteristics, 775, 784, 800
limbic cortex unit response to visual stimulation, 1101, 1118
medullary electroreceptive units, electric fish, 800
mesencephalic neuron response to auditory stimuli, bullfrog, 1132, 1155
muscle spindle activity in cerebellar ablation and recovery, 943
noncholinergic inhibition in DInhi neurons, 710
olfactory tract, fish, 139
pyramidal tract neurons, slow and fast, 216, 908
retinal ganglion cells, periphery effect, 555
retinal ganglion cells, response to movement stimuli, 819, 833, 1073
retinal ganglion cells, response to stationary light stimuli, 1073
spinal ganglia membrane, alkali earth cations and, 457
spinal motoneurons, cell size and, 560, 599, 959
squid giant axon, ion transference measurements, 526
tactile cutaneous afferent unit, monkey hindpaw, 966
tonic and kinetic vestibular units, response to primary afferent stimulation, 1014
torus semicircularis unit response to auditory stimuli, bullfrog, 1155
trigeminal cutaneous afferents, 682, 695
vestibular unit response to horizontal angular acceleration, 991, 1014
Electroencephalogram
desynchronized, diffuse cortical activa-

tion waves in, 893
mesencephalic reticular formation stimulation, 893
sleep, wakefulness, and arousal, 893
Electrogenesis
peripheral inhibition in insects, 497
End-plate potentials
acetylcholine quantum and, 427
neuromuscular depression, 427
response to paired stimuli, 427
ENGER, P. S., 775, 784
ENGER, P. S. AND T. SZABO. Activity of central neurons involved in electroreception in some weakly electric fish (Gymnotidae), 800
Enteropeduncular nucleus
inhibition of nonspecific sensory activity, 100
EVANS, E. F., 655
EVARTS, E. V. Relation of discharge frequency to conduction velocity in pyramidal tract neurons, 216
Excitability
cochlear nucleus unit, alteration after sound exposure, 850
extensor motoneurons, ipsilateral muscle nerve stimulation, 545
intraspinal primary afferents, succinylcholine and, 290
spinal motoneurons during reflex stimulation, cell size and, 560, 599
spinal motoneurons during supraspinal stimulation, cell size and, 958
Extensor motoneurons
cortical inhibition and facilitation, 398
excitability during reflex stimulation, cell size and, 560, 599
functional properties, cell size and, 71, 85, 581
functional properties, muscle fiber structure and, 581
inhibitibility during reflex stimulation, cell size and, 590
muscle spindle recovery after cerebellar ablation, 943
response to ipsilateral group II afferents, 545
Extensor tibiae, metathoracic
peripheral inhibition in, 497

Facilitation
extensor motoneuron response to ipsilateral muscle nerve stimulation, 545
Facilitation, cortical
hip flexor and extensor motoneurons, 398
immature neocortex neurons, 925
knee flexor and extensor motoneurons, 398
FAVALE, E., 443
Fish
catfish olfactory tract, morphology and electrophysiology, 139
Fish, electric
lateral line nerve fibers, electroreceptive responses, 775, 784
medullary unit, electroreceptive responses, 800
neuronal temporal and spatial integration, electroreceptive system, 800
Flexor motoneurons
cell size and excitability during reflex stimulation, 560, 599
cortical inhibition and facilitation, 398
excitability during reflex stimulation, cell size and, 560, 599
inhibitibility during reflex stimulation, cell size and, 599
monosynaptic reflexes, reticular inhibition, 413
muscle spindle recovery after cerebellar ablation, 943
postsynaptic dendritic inhibition, 413
somadendritic complex model, 413
Fungiform papilla
sensory innervation, 154

Gamma-aminobutyric acid
inhibitory synaptic membrane activation in insects, 497
Gastrocnemius muscle
fiber structure and motor unit function, relationship, 71, 85, 581
histochemistry and classification of fibers, 581
mitochondrial distribution and ATPase activity, 581
motor unit, properties, 85, 581
muscle spindle sensory endings, central regulation, 724
Gastrocnemius-soleus motoneuron
excitation, ipsilateral muscle nerve stimulation and, 545
GEMNE, G., 139
Geniculate nucleus
limbic cortex response to ipsilateral stimulation of, 1118
Geniculate nucleus, lateral
cortical response to stimulation of, 443
ocular deprivation, histologic changes in, 1029, 1060
receptive fields, classification, 1, 19
synaptic transmission during sleep, 443
unit response to contrast stimuli, 1
unit response to movement stimuli, 19
Geniculate nucleus, medial
cortical projection areas, tone duration discrimination, 673
Geniculostriate system
posterior limbic cortex, relationship, 1118

sensory transmission during sleep and arousal, 443
GERSCHENFELD, H. M. AND D. J. CHIARANDINI. Ionic mechanism associated with noncholinergic synaptic inhibition in molluscan neurons, 710
GILMAN, S., 943
Globus pallidus
inhibition of nonspecific sensory activity, 100
Glossopharyngeal nerve
fiber branching and distribution to fungiform papilla, 154
Gracilis nucleus
functional organization, 48
pre- and postsynaptic units, distribution and activity, 48
receptive fields, 48
response to corticofugal stimulation, 48
GREENWOOD, D. D. AND N. MARUYAMA. Excitatory and inhibitory response areas of auditory neurons in the cochlear nucleus, 863
GRUNDFEST, H., 497

HAGIWARA, S., T. SZABO, AND P. S. ENGER. Electroreceptor mechanisms in a high-frequency weakly electric fish, *Sternarchus albifrons*, 784
HAGIWARA, S., T. SZABO, AND P. S. ENGER. Physiological properties of electroreceptors in the electric eel, *Electrophorus electricus*, 775
HALAS, E. S., 200
HENNEMAN, E., 71, 85, 958
HENNEMAN, E. AND C. B. OLSON. Relations between structure and function in the design of skeletal muscles, 581
HENNEMAN, E., G. SOMJEN, AND D. O. CARPENTER. Excitability and inhibitibility of motoneurons of different sizes, 599
HENNEMAN, E., G. SOMJEN, AND D. O. CARPENTER. Functional significance of cell size in spinal motoneurons, 560
Hippocampal gyrus
limbic cortex unit response to visual stimulation, 1101, 1118
Hippocampus
limbic cortex unit response to visual stimulation, 1101, 1118
HONGO, T. AND H. SHIMAZU. Centrifugal modifications of discharge rates of primary and secondary endings of muscle spindles in the hind limb of the cat, 724
HUBEL, D. H., 1029, 1060
HUBEL, D. H. AND T. N. WIESEL. Binocular interaction in striate cortex of kittens reared with artificial squint, 1041
HUBEL, D. H. AND T. N. WIESEL. Receptive fields and functional architecture in two nonstriate visual areas (18 and 19) of the cat, 229
Hypothalamus, posterior
facilitation of muscle spindle discharge rates, 724

Iggo's corpuscles
spontaneous activity, 359
stimulus response relationships, somatic afferents, 359
Inferior colliculus
additive and multiplicative responses, 641
spontaneous and evoked unit activity, 641
Information transmission
electroreceptive fibers of electric fish, 775, 784, 800
mechanoreceptive cutaneous afferents, 359
Inhibition
afferent presynaptic, trigeminal brainstem nuclei, 695
hip flexor and extensor motoneurons, 398
immature neocortex neurons, 925
knee flexor and extensor motoneurons, 398
monosynaptic reflex depression, succinylcholine and, 290
noncholinergic, ionic mechanisms in, 710
peripheral, in insect skeletal muscle, 497
spinal motoneurons during reflex stimulation, cell size and, 599
spinal motoneurons during supraspinal stimulation, cell size and, 958
strychninization and, 342
Inhibition, thalamocortical
ventrolateral thalamic neurons, 487
Insects
peripheral inhibition in skeletal muscle, 497
Interhemispheric responses: *see* Cerebral hemispheres
Internal capsule
facilitation of muscle spindle discharge rates, 724
Intrafusal muscle fibers: *see also* Muscle spindle
discharge rates, central nervous system regulation, 724
motoneuron size and contraction speed, 581
Ion flux: *see also* specific ion
squid giant axon, 526
IWAMURA, Y., 125

JOHNSON, J. I., JR., 312

KATO, M., 545
KOKETSU, K., 457

KOZAK, W., R. W. RODIECK, AND P. O. BISHOP. Responses of single units in lateral geniculate nucleus of cat to moving visual patterns, 19
KRAUTHAMER, G. AND D. ALBE-FESSARD. Inhibition of nonspecific sensory activities following striopallidal and capsular stimulation, 100
KUBOTA, K., Y. IWAMURA, AND N. YOSIZUMI. Monosynaptic reflex and natural sleep in the cat, 125
KUFFLER, S. W., 519
KUNITARO, T. Slow and fast groups of pyramidal tract cells and their respective membrane properties, 908

LANDAU, W. M., G. H. BISHOP, AND M. H. CLARE. Site of excitation in stimulation of the motor cortex, 1206
LANGLOIS, J. M., 893
Lateral line: *see* Nerve fibers, lateral line electroreceptive
Leech
  nerve cord, sodium and potassium content, 519
Lemniscal system
  functional organization, 48
  medial, specialization in the raccoon, 312
  pre- and postsynaptic units, distribution and activity, 48
LENDE, R. A., 189
LEVICK, W. R., C. W. OYSTER, AND D. L. DAVIS. Evidence that McIlwain's periphery effect is not a stray light artifact, 555
Limbic cortex
  unit response to intracerebral visual pathway stimulation, 1118
  unit response to visual stimulation, 1101
  visual impulse pathways, 1118
LINDBLOM, U. Properties of touch receptors in distal glabrous skin of the monkey, 966
LLINAS, R. AND C. A. TERZUOLO. Mechanisms of supraspinal actions upon spinal cord activities. Reticular inhibitory mechanisms upon flexor motoneurons, 413
LOEB, C., 443
LORENZINI, C. A., 1195

MACLEAN, P. D., 1101, 1118
MANFREDI, M., 443
MARUYAMA, N., 863
MCMURTRY, J. G., 166, 487
MCPHEDRAN, A. M., 85
MCPHEDRAN, A. M., R. B. WUERKER, AND E. HENNEMAN. Properties of motor units in a homogenous red muscle (soleus) of the cat, 71
Median nerve
  mechanoreceptive fibers, classification, 359
Medulla oblongata, electric fish
  movement, direction and position detection in, 800
Medulla oblongata, lateral lobes
  electroreceptive mechanism in electric fish, 800
  lateral line system organization in, 800
Meissner's corpuscles
  touch receptors, distal glabrous skin of monkey, 966
Membrane permeability
  lobster giant axon, 742
  potassium effect and noncholinergic inhibition, 710
  spinal ganglia, alkali earth cations effect, 457
  squid giant axon, 526
Membrane properties: *see also* specific property
  pyramidal tract neurons, fast and slow, 908
Mesencephalon
  tegmental nuclei cytoarchitecture in the bullfrog, 1132
  torus semicircularis cytoarchitecture in the bullfrog, 1132
  torus semicircularis, unit response to auditory stimuli in the bullfrog, 1155
  unit response to auditory stimuli, anatomical location in the bullfrog, 1132
Midbrain
  interhemispheric responses, 189
MISHKIN, M., 473
Mitochondria
  distribution in skeletal muscle and fiber classification, 581
Monosynaptic reflex
  motoneuron excitability during, cell size and, 560, 599
  motoneuron inhibitibility during, cell size and, 599
Motoneurons, alpha
  central influences to, during sleep, 125
  cortical inhibition and facilitation, 398
  monosynaptic reflex, reticular inhibition of, 413
Motoneurons, gamma
  axonal diameter and functional properties, 581
  bias in cerebellar ablation and recovery, 943
Motoneurons, spinal
  size and supraspinal recruitment, 958
Motor cortex
  somatotopically organized sensory area, squirrel monkey, 1195
  spinal motoneuron inhibition and facilitation, 398

spinal motoneuron recruitment, cell size and, 958
stimulation and pyramidal tract neuron activity, 1206
stimulation, excitation site and mechanism, 1206
Motor cortex neurons
inhibitory postsynaptic potentials, strychinization and, 342
membrane potentials, cortical polarization and, 166
synaptic potentials, cortical polarization and, 166
Motor units
cell size and functional properties, 71, 85, 216, 560, 581, 599
excitability changes, response to repeated stimulation, 200
function, muscle fiber ATPase content and, 581
individual, functional properties of, 71, 85, 560, 581, 599
size-function relationship, 71, 85, 216, 560, 581, 599
skeletal muscle, 71, 85, 560, 581, 599
MOUNTCASTLE, V. B., 359
Movement
diffuse cortical activation waves during, 893
pyramidal tract neuron discharge frequency during, 216
MULLINS, L. J., 526
MURATA, K., H. CRAMER, AND P. BACH-Y-RITA. Neuronal convergence of noxious, acoustic, and visual stimuli in the visual cortex of the cat, 1223
Muscle contraction, skeletal
motor unit properties, 71, 85
peripheral inhibition in insects, 497
Muscle spindle
alpha motoneuron activity mediation, 943
gamma bias decrease in cerebellar ablation, 943
intrafusal fibers, size and ATPase activity, 581
nuclear bag and nuclear chain fibers, mitochondrial content, 581
proprioceptive positive supporting reaction and activity of, 943
sensory endings discharge rates, central regulation, 724
succinylcholine effect on spontaneous afferent discharge, 290
MUTTON, P., 682

NEFF, W. D., 673
NEILSON, D. R., JR., 290
NELSON, L. R. AND R. A. LENDE. Interhemispheric responses in the opossum, 189
Neocortex
conditioned reflex response to stimulation of, 623
Neocortex, immature
neuron properties, 925
thalamocortical projections stimulation and synaptic activity, 925
ventrolateral thalamic stimulation and synaptic activity, 925
Nerve fibers, lateral line electroreceptive
impulse discharge characteristics in electric fish, 775, 784, 800
information transmission, coding mechanisms, 775, 784, 800
mechanosensitive, functional characteristics, 775
pure electroreceptive, response to electric organ pulse discharge, 775, 784
Nerve fibers, motor unit
soleus axon, conduction velocity, 71
Neuroglial cells
leech nerve cord, sodium and potassium content, 519
Neuromuscular blocking agents: *see* specific agent
Neuromuscular junction
EPP depression, acetylcholine quantum and, 427
Neuromuscular spindle: *see* Muscle spindle
Neuromuscular transmission
depression, acetylcholine quantum in, 427
end-plate potentials, response to paired stimuli, 427
peripheral inhibition, insect skeletal muscles, 497
Neurons: *see also* specific type
DInhi of molluscs, noncholinergic inhibition in, 710
leech nerve cord, sodium and potassium content, 519
NICHOLLS, J. G. AND S. W. KUFFLER. Na and K content of glial cells and neurons determined by flame photometry in the nervous system of the leech, 519
NIEDER, P. C. AND N. L. STROMINGER. Evoked potentials in auditory cortex after bilateral transection of the brachium of the inferior colliculus in the cat, 1185
NISHI, S., H. SOEDA, AND K. KOKETSU. Effect of alkali-earth cations on frog spinal ganglion cell, 547

Olfactory tract
action potentials, fish, 139
axon diameters and conduction velocities, fish, 139
histology and morphology, fish, 139

OLSON, C. B., 581
Opossum
interhemispheric responses, 189
Optic cortex: *see* Visual cortex
Optic pathway: *see also* specific structures
cortical response to stimulation during sleep and arousal, 443
Optic radiations, responses
optic pathway stimulation, during sleep and arousal, 443
Optic tract
receptive fields, functional organization, 1
unit response to contrast stimuli, 1
OYSTER, C. W., 555

Pain stimuli
visual cortex neuron response, 1223
Pentobarbital
central regulation of muscle spindle sensory endings, effect on, 724
Pericruciate motor cortex: *see also* Motor cortex
facilitation and inhibition of spinal motoneurons, 398
Peripheral muscle nerves
excitability and inhibitibility, cell size and, 599
cortical facilitation and inhibition, 398
postsynaptic reticular inhibition, 413
group II fibers, excitation of ipsilateral extensor motoneurons, 545
muscle spindle discharge rates, central regulation, 724
Periphery effect
retinal receptive fields, stray light and, 555
Peroneal nerve
extensor motoneuron excitability, cell size and, 599
monosynaptic reflex during sleep, 125
Picrotoxin
inhibitory synaptic membrane inactivation, in insects, 497
POLLEN, D. A. AND C. AJMONE MARSAN. Cortical inhibitory postsynaptic potentials and strychninization, 342
Posterior biceps motoneurons: *see* Flexor motor neurons, hind limb
Posture
cortical inhibition and facilitation of spinal motoneurons, 398
Potassium flux
lobster giant axon, 742
squid giant axon, 526
Potassium ions
inhibitory electrogenesis, insect skeletal muscle, 497
leech nerve cord content, 519
lobster axon concentration, 742
noncholinergic inhibition in snail neurons, 710
transference number, squid giant axon, 526
POTTER, H. D. Mesencephalic auditory region of the bullfrog, 1132
POTTER, H. D. Patterns of acoustically evoked discharges of neurons in the mesencephalon of the bullfrog, 1155
PRECHT, W., 991
PRECHT, W. AND H. SHIMAZU. Functional connections of tonic and kinetic vestibular neurons with primary vestibular afferents, 1014
Precruciate cortex
inhibitory postsynaptic potentials, strychninization and, 342
PRESTON, J. B., 398
PROCTOR, R., 682
Proprioception
cerebellar ablation and recovery, 943
PUBOLS, B. H., JR., W. I. WELKER, AND J. I. JOHNSON, JR. Somatic sensory representation of forelimb in dorsal root fibers of raccoon, coatimundi, and cat, 312
PURPURA, D. P. AND J. G. MCMURTRY. Intracellular activities and evoked potential changes during polarization of the motor cortex, 166
PURPURA, D. P., T. SCARFF, AND J. G., MCMURTRY. Intercellular study of internuclear inhibition in ventrolateral thalamic neurons, 487
PURPURA, D. P., R. J. SHOFER, AND T. SCARFF. Properties of synaptic activities and spike potentials of neurons in immature neocortex, 925
Pyramidal-corticospinal pathway
inhibition and facilitation of spinal motoneurons, 398
Pyramidal tract neurons
activity during movement and sleep, 216
discharge frequency—conduction velocity relationship, 216, 908
excitation and intracortical activity, 1206
functional properties of large and small, 216, 908
I wave origin, 1206
membrane potentials, cortical polarization and, 166
slow and fast groups, membrane properties, 908
synaptic potentials, cortical polarization and, 166

Quadriceps muscle motoneurons: *see* Extensor motoneurons, hind limb

Raccoon
somatic sensory representation in dorsal root fibers, 312
Radial nerve
cortical sensory motor area projections in primates, 1195
RAPUZZI, G. AND C. CASELLA. Innervation of the fungiform papillae in the frog tongue, 154
Receptive fields
cutaneous, classification in the raccoon, 312
dorsal root fibers, raccoon forepaw, 312
first-order somatic sensory afferents, homologous characteristics, 312
gracilis nucleus, 48
lateral geniculate nucleus, classification, 1, 19
optic tract, 1
retinal ganglia dendritic fields, morphology and classification, 1091
retinal ganglia, McIlwain's periphery effect, 555
retinal ganglia, response to moving pattern stimuli, 819, 833, 1073
retinal ganglia, response to sationary light stimuli, 1073
tactile cutaneous afferent, unit organization and innervation, 966
trigeminal cutaneous afferents, characteristics, 682, 695
visual area I, classification, 1
visual areas II and III, topography and histology, 229
Receptors, electric: *see also* Nerve fibers, lateral line electroreceptive
cutaneous distribution and innervation in electric fish, 784, 800
Receptors, muscle: *see also* Muscle spindle; Intrafusal fibers
intrafusal fibers, size and ATPase activity, 581
muscle spindle sensory endings, central regulation, 724
succinylcholine effect, 290
Receptors, taste
unit organization and innervation, frog tongue, 154
Receptors, touch
stimulus-response relationships, 312, 359, 966
unit organization and innervation, frog tongue, 154
unit organization and innervation, monkey hindpaw, 966
Receptors, vestibular
response to horizontal angular acceleration, 991, 1014
Recruiting response
motoneuron size and response to supraspinal stimulation, 958
thalamocortical, inhibition in, 487
Reflexes, conditioned
cortical and subcortical stimulation and, 623
food reward response, stimulus threshold, 623
shock avoidance response, stimulus threshold, 623
stimulus generalization and differentiation in, 623
Reflexes, monosynaptic
augmented presynaptic inhibition and depression of, 290
during sleep, 125
extensor motoneurons, cortical inhibition and facilitation, 398
extensor motoneurons, succinylcholine depression, 290
facilitation, ipsilateral muscle nerve stimulation and, 545
flexor motoneurons, cortical inhibition and facilitation, 398
flexor motoneurons, postsynaptic reticular inhibition, 413
flexor motoneurons, succinylcholine depression, 290
motoneuron excitability test, limitations, 290
primary afferent depolarization and, 290
Reflexes, polysynaptic
extensor and flexor motoneurons, succinylcholine depression, 290
Reflexes, trigeminal tract
afferent presynaptic inhibition, 695
Reticular formation
inhibition of flexor motoneuron monosynaptic reflex, 413
regulation of muscle spindle sensory endings, 724
Reticular formation, mesencephalic
stimulation and diffuse cortical activation waves, 893
Retina, ganglion cells
dendritic fields, 1091
receptive fields, organization, 555, 819, 833, 1073, 1091
receptive fields, periphery effect, 555
response to moving pattern stimuli, 819, 833, 1073
response to stationary light stimuli, 1073
stray light effect, 555
Retrosplenial region
limbic cortex unit response to visual stimulation, 1101, 1118
RODIECK, R. W., 19
RODIECK, R. W. AND J. STONE. Analysis of receptive fields of cat retinal ganglion cells, 833
RODIECK, R. W. AND J. STONE. Response of

cat retinal ganglion cells to moving visual patterns, 819
ROJAS, J. A., 1073

Saphenous nerve
mechanoreceptive fibers, classification, 359
SCARFF, T., 487, 925
SCHARLOCK, D. P., W. D. NEFF, AND N. .L STROMINGER. Discrimination of tone duration after bilateral ablation of cortical auditory areas, 673
SCHRAMM, S., 200
SCHULZ, A., 1
Semilunar ganglion
single neuron activity, 682
trigeminal nerve cell bodies, topographical distribution, 682
SEMMES, J. AND M. MISHKIN. Somatosensory loss in monkeys after ipsilateral cortical ablation, 473
Sensorimotor cortex
immature neurons, properties, 925
organization in the squirrel monkey, 1195
synaptic organization, 925
unilateral lesions and ipsilateral somatosensory loss, 473
Sensory systems
auditory cortical neuron response to frequency modulated sound, 655
auditory discrimination, pattern, frequency and tone, 673
bisensory and trisensory convergence, visual cortex units, 1223
cochlear nucleus unit activity, alterations after sound exposure, 850
cochlear unit excitatory and inhibitory response areas, 863
collicular neuron additive and multiplicative responses, 641
glossopharyngeal nerve distribution in the tongue, 154
lateral line nerve fibers, electroreceptive responses, 775, 784, 800
mesencephalic auditory region in the bullfrog, 1132, 1155
movement and direction detection, medullary units of electric fish, 800
nonspecific afferent, inhibition by basal ganglia, 100
olfactory tract of the fish, histology and electrophysiology, 139
retinal ganglion cells, receptive field organization, 555, 819, 833, 1073
SHIMAZU, H., 724, 1014
SHIMAZU, H. AND W. PRECHT. Tonic and kinetic responses of cat's vestibular neurons to horizontal angular acceleration, 991
SHOFER, R. J., 925
Skeletal muscle
muscle spindle sensory endings, central regulation, 724
Skeletal muscle, fast
motor unit, properties, 85, 581
peripheral inhibition, in insects, 497
type B fiber composition and motoneuron function, 581
Skeletal muscle, slow
fiber classification and motoneuron function, 581
mitochondrial distribution and ATPase activity, 581
motor unit, properties, 71, 581
peripheral inhibition, in insects, 497
Skin, glabrous
monkey hindpaw, touch receptor location and functional properties, 966
Sleep
diffuse cortical activation waves during, 893
EEG pattern, 893
monosynaptic reflexes, 125
pyramidal tract neuron discharge frequency during, 216
sensory transmission in geniculate striate system during, 443
Sodium flux
lobster giant axon, 742
squid giant axon, 526
Sodium ions
leech nerve cord content, 519
lobster axon concentration, 742
transference number, squid giant axon, 526
SOEDA, H., 457
Soleus muscle
fiber structure and motoneuron function, relationship, 581
histochemistry and classification of fibers, 581
mitochondrial distribution and ATPase activity, 581
motor unit, properties, 71, 581
muscle spindle intrafusal fibers, size and ATPase activity, 581
muscle spindle sensory endings, central regulation, 724
Somatosensory system
brain-stem trigeminal nuclei, presynaptic afferent inhibition, 695
cortical ablation and ipsilateral discrimination, 473
first-order somatic afferents, organization in the raccoon, 312
first-order somatic afferents, stimulus-response relationship, 359
organization in primates, 1195
trigeminal cutaneous afferents, functional organization, 682, 695

SOMJEN, G., 560, 599
SOMJEN, G., D. O. CARPENTER, AND E. HENNEMAN. Responses of motoneurons of different sizes to graded stimulation of supraspinal centers of the brain, 958
Sound, duration
  aftereffects on cochlear nucleus spontaneous activity, 850
  auditory cortex discrimination areas, 673
  cochlear nucleus unit response, depression aftereffects, 850
Sound, frequency modulated
  auditory neuron response, 655
  cochlear unit excitatory and inhibitory response areas, 863
Sound, intensity
  aftereffects in cochlear nucleus unit spontaneous activity, 850
  cochlear nucleus excitatory and inhibitory response areas, 863
Spinal ganglia
  membrane premeability and potentials, alkali-earth cations effect, 457
Spinal motoneurons
  excitability during reflex stimulation, cell size and, 599
  excitability during supraspinal stimulation, cell size and, 958
  inhibitibility during reflex stimulation, cell size and, 599
  monosynaptic reflexes, reticular inhibition of, 413
Spinal reflex
  cortical inhibition and facilitation, 398
  efferent unit response changes to repeated stimulation, 200
  motoneuron excitability during, cell size and, 560, 599
  motoneuron inhibitibility during, cell size and, 599
  reticular inhibitory mechanism, 413
Squint, artificial
  striate cortex binocular interaction, 1041
STARR, A. Suppression of single unit activity in cochlear nucleus of the cat following sound stimulation, 850
STONE, J., 819, 833
Stretch reflex
  motoneuron excitability during, cell size and, 560, 599
  motoneuron inhibitibility during, cell size and, 599
Striate cortex
  binocular interaction in artificial squint, 1041
  limbic cortex connective pathways, 1118
  ocular deprivation and unit response to eye stimulation, 1029, 1060
  ocular dominance and organization of, 1041
  response to optic pathway stimulation during sleep and arousal, 443
STROMINGER, N. L., 673, 1185
Strychnine
  cortical postsynaptic potentials, effect on, 342
  depolarization of motor cortex neurons, 342
  EEG spindle bursts, action potential pattern, 342
  subsynaptic membrane and, 342
Succinylcholine
  monosynaptic reflex response, depression, 290
  polysynaptic reflex response facilitation, 290
  primary afferent depolarization, 290
Summation
  immature neocortex neurons, 925
Synaptic transmission
  acetylcholine release, 427
  brain-stem trigeminal nuclei, presynaptic afferent inhibition, 695
  extensor motoneurons, response to ipsilateral muscle nerve stimulation, 545
  geniculostriate system during sleep and arousal, 443
  immature neocortex neurons, 925
  neuromuscular presynaptic depression, 427
  noncholinergic inhibition, ionic mechanism in, 710
  peripheral inhibition in insects, 497
  spinal motoneurons, cell size influence, 560, 599
  succinylcholine and, 290
  ventrolateral thalamic neurons, internuclear inhibition, 487
  vestibular neurons, 1014
SZABO, T., 775, 784, 800

Taste buds
  peripheral nervous cross-connections, 154
  unit organization and innervation, frog tongue, 154
Tenuissimus muscle
  muscle spindle sensory endings, central regulation, 724
TERZUOLO, C., A., 413
Tetanic tension
  motor unit, gastrocnemius muscle, 85
  motor unit, soleus muscle, 71
Thalamic neurons, ventrolateral
  immature neocortex response to stimulation of, 925
  internuclear inhibition, 487
  response to medial thalamic stimulation, 487
  thalamocortical synchronization, 487

Thalamic nuclei, medial
inhibition of ventrolateral thalamic neurons, 487
regulation of muscle spindle sensory endings, 724
THIES, R. E. Neuromuscular depression and the apparent depletion of transmitter in mammalian muscle, 427
Tibial nerve
monosynaptic reflex during sleep, 125
Tongue
glossophargyngeal nerve fiber branching and distribution, 154
sensory units, organization and innervation, 154
Torus semicircularis
unit response to auditory stimuli, 1155
Transference numbers
squid giant axon, 526
Transmitter substances: *see also* Acetylcholine
DInhi fibers of the mollusc, 710
noncholinergic synaptic, membrane permeability and, 710
Trapezoid body
spontaneous activity and click responsiveness, sound exposure aftereffects, 850
Triceps surae motoneuron
excitability during reflex stimulation, cell size and, 560, 599
inhibitibility during reflex stimulation, cell size and, 599
Trigeminal nerve
maxillary branch cortical sensory motor area projections, in primates, 1195
Trigeminal nuclei, brain stem
afferent inhibition, presynaptic, 695
Trigeminal spinal tract
cutaneous receptive fields, 682, 695
primary afferent axon projections, terminations, 682
tactile cutaneous afferents, functional organization, 682, 695
Twitch tension
motor unit, gastrocnemius muscle, 85
motor unit, soleus muscle, 71

UEMURA, K. AND J. B. PRESTON. Comparison of motor cortex influences upon various hind-limb motoneurons in pyramidal cats and primates, 398
USHERWOOD, P. N. R. AND H. GRUNDFEST. Peripheral inhibition in skeletal muscle of insects, 497

VAN DER MEULEN, J. P. AND S. GILMAN. Recovery of muscle spindle activity in cats after cerebellar ablation, 943
Ventral root fibers
motoneuron functional properties, cell size and, 71, 85, 560, 581, 599, 959
Vestibular neurons
kinetic and tonic, 991, 1014
primary afferent activation, 1014
synaptic transmission, 1014
Vestibular nuclei
unit response to horizontal angular acceleration, 991, 1014
Vigilance
cortical responses to optic pathway stimulation, 442
Visual cortex
area I receptive fields, functional organization, 1
areas I, II, and III, integration, 229
areas II and III, physiologic mapping and cytoarchitecture, 229
binocular interaction in artificial squint, 1041
bisensory and trisensory convergence, single units, 1223
unit response to contrast stimuli, 1
unit response to eye stimulation in ocular deprivation, 1029, 1060
unit response to optic pathway stimulation during sleep and arousal, 443
Visual deprivation
blindness, 1029, 1060
recovery, 1060
striate cortex unit response to eye stimulation, 1029, 1060
Visual system
activity during sleep and arousal, 443
complex and hypercomplex cells of areas II and III, 229
cortical integration, efferent connections, 229
limbic cortex connections, 1101, 1118
receptive fields, classification, 1, 19, 229
retinal ganglion cells, dendrite morphology and cell classification, 1091
retinal ganglion cells, receptive field organization, 555, 819, 833, 1073, 1091
unit response to contrast stimuli, 1
unit response to movement stimuli, 19

Wakefulness
diffuse cortical activation waves, 893
EEG pattern, 893
Weber functions
mechanoreceptor cutaneous afferents, 359
WELKER, W. I., 312
WERNER, G. AND V. B. MOUNTCASTLE. Neural activity in mechanoreceptive cutaneous afferents: stimulus-response relations, Weber functions, and information transmission, 359
WHITFIELD, I. C. AND E. F. EVANS. Re-